

Current risk stratification and adapted strategies for the management of upper tract urothelial carcinomas

Poster Session 64

Monday, 14 March
08:45 - 10:15

Location: Room Vienna (Hall B2, level 0)

Chairs: W.C. Loidl, Linz (AT)
V. Pansadoro, Rome (IT)

Aims and objectives of this presentation

Upper Tract Urothelial Carcinoma (UTUC) are relatively uncommon compared to bladder cancer, but 60% of UTUCs are invasive at diagnosis. The risk stratification appears to be crucial to elaborate appropriate strategy and select patients for kidney-sparing management. The purpose of the session is to provide an overview of available assessment tools and treatments.

Poster viewing of 20 minutes. Presentations will take place on stage. Standard presentations are 2 minutes in length, followed by 2 minutes for discussion. Extended presentations (*) are 3 minutes in length, followed by 3 minutes for discussion.

800

Oncological outcomes of radical nephroureterectomy versus kidney-sparing surgery for elective treatment of clinically organ-confined upper tract urothelial carcinoma of the distal ureter

By: [Seisen T.](#)¹, Nison L.², Remzi M.³, Klatte T.⁴, Lucca I.⁴, Mathieu R.⁵, Bozzini G.⁶, Capitanio U.⁷, Novara G.⁸, Cussenot O.⁹, Comp  rat E.¹⁰, Renard Penna R.¹¹, Peyronnet B.¹², Merseburger A.¹³, Fritsche H-M.¹⁴, Hora M.¹⁵, Shariat S.⁴, Colin P.¹⁶, Roupr  t M.¹²

Institutes:¹H  pitaux universitaires La Piti  -Salp  tr  re, Dept. of Urology, Paris, France, ²H  pitaux Universitaires Lille, Dept. of Urology, Lille, France, ³Landeskrankenhaus Korneuburg, Dept. of Urology, Korneuburg, Austria, ⁴Medical University Vienna, Dept. of Urology, Vienna, Austria, ⁵Medical University Vienna, Dept. of Urology, Vienna, France, ⁶Medical University Lille, Dept. of Urology, Lille, France, ⁷IRCCS Ospedale San Raffaele University, Dept. of Urology, Milan, Italy, ⁸Urology Clinic, University of Padua, Dept. of Urology, Padua, Italy, ⁹Tenon Hospital, Dept. of Urology, Paris, France, ¹⁰Piti   Salp  tr  re Hospital, Dept. of Pathology, Paris, France, ¹¹Piti   Salp  tr  re Hospital, Dept. of Radiology, Paris, France, ¹²Piti   Salp  tr  re Hospital, Dept. of Urology, Paris, France, ¹³University Hospital Schleswig-Holstein, Dept. of Urology, L  beck, Germany, ¹⁴St Josef Medical Center, University of Regensburg, Dept. of Urology, Regensburg, Germany, ¹⁵Faculty Hospital Plze   and Charles University In Prague, Dept. of Urology, Prague, Czech Republic, ¹⁶Private Hospital La Louvi  re, Dept. of Urology, Lille, France

801

The impact of ureteral ligation on clinical outcome during radical nephroureterectomy for upper urinary tract urothelial carcinoma: Multi-institutional case series study JCOG1110A

By: [Inokuchi J.](#)¹, Kuroiwa K.², Naito S.¹, Takechi Y.³, Sugimoto M.³, Tanikawa T.⁴, Fujimoto H.⁵, Gotoh M.⁶, Masumori N.⁷, Ogawa O.⁸, Etoh M.⁹, Ohyama C.¹⁰, Yamaguchi A.¹¹, Matsuyama H.¹², Ichikawa T.¹³, Asano T.¹⁴, Takenaka A.¹⁵, Fujimoto K.¹⁶, Yamaguchi R.¹⁷, Habuchi T.¹⁸, Hashine K.¹⁹, Arai Y.²⁰, Nagaoka A.²¹, Nishiyama H.²², Shinohara N.²³, Niwakawa M.²⁴, Egawa S.²⁵, Ozono S.²⁶, Kawano Y.²⁷, Ishizuka O.²⁸, Nishimura K.²⁹, Tochigi T.³⁰, Sugimura Y.³¹, Mizusawa J.³², Eba J.³²

Institutes:¹Kyushu University, Dept. of Urology, Fukuoka, Japan, ²Miyazaki Prefectural Miyazaki Hospital, Dept. of Urology, Miyazaki, Japan, ³Faculty of Medicine, Kagawa University, Dept. of Urology, Kagawa, Japan, ⁴Niigata Cancer Center Hospital, Dept. of Urology, Niigata, Japan, ⁵National Cancer Center Hospital, Dept. of Urology, Tokyo, Japan, ⁶Nagoya University Graduate School of Medicine, Dept. of Urology, Tokyo, Japan, ⁷Sapporo Medical University School of Medicine, Dept. of Urology, Sapporo, Japan, ⁸Kyoto University, Dept. of Urology, Kyoto, Japan, ⁹Graduate School of Medical Sciences, Kyushu University, Dept. of Urology, Fukuoka, Japan, ¹⁰Hirosaki University Graduate School of Medicine, Dept. of Urology, Hirosaki, Japan, ¹¹Harasanshin

Hospital, Dept. of Urology, Fukuoka, Japan, ¹²Graduate School of Medicine, Yamaguchi University, Dept. of Urology, Ube, Japan, ¹³Graduate School of Medicine, Chiba University, Dept. of Urology, Chiba, Japan, ¹⁴National Defense Medical College, Dept. of Urology, Tokorozawa, Japan, ¹⁵Tottori University Faculty of Medicine, Dept. of Urology and Surgery, Yonago, Japan, ¹⁶Nara Medical University, Dept. of Urology, Kashihara, Japan, ¹⁷Teikyo University School of Medicine, Dept. of Urology, Tokyo, Japan, ¹⁸Akita University Graduate School of Medicine, Dept. of Urology, Akita, Japan, ¹⁹Shikoku Cancer Center Hospital, National Hospital Organization, Dept. of Urology, Matsuyama, Japan, ²⁰Tohoku University Graduate School of Medicine, Dept. of Urology, Sendai, Japan, ²¹Yamagata University Hospital, Dept. of Urology, Yamagata, Japan, ²²Faculty of Medicine, University of Tsukuba, Dept. of Urology, Ibaraki, Japan, ²³Hokkaido University Graduate School of Medicine, Dept. of Urology, Sapporo, Japan, ²⁴Shizuoka Cancer Center, Dept. of Urology, Shizuoka, Japan, ²⁵Jikei University School of Medicine, Dept. of Urology, Tokyo, Japan, ²⁶Hamamatsu University School of Medicine, Dept. of Urology, Hamamatsu, Japan, ²⁷Graduate School of Medical Sciences, Kumamoto University, Dept. of Urology, Kumamoto, Japan, ²⁸Shinshu University School of Medicine, Dept. of Urology, Matsumoto, Japan, ²⁹Osaka Medical Center For Cancer and Cardiovascular Diseases, Dept. of Urology, Osaka, Japan, ³⁰Miyagi Cancer Center, Dept. of Urology, Natori, Japan, ³¹Mie University Graduate School of Medicine, Dept. of Nephro-Urologic Surgery and Andrology, Tsu, Japan, ³²National Cancer Center, JCOG Data Center / Operations Office, Tokyo, Japan

- 802 **Risk stratification by means of the biological age related factors better predicts cancer-specific survival than the chronological age in patients with upper tract urothelial carcinoma (UTUC): A multi-institutional database study**
By: Inamoto T.¹, Takahara K.¹, Matsuyama H.², Fujimoto K.³, Shiina H.⁴, Sakano S.², Nagao K.², Miyake M.³, Tatsumi Y.³, Yasumoto H.⁴, Azuma H.¹
Institutes:¹Osaka Medical College, Dept. of Urology, Osaka, Japan, ²Yamaguchi University, Dept. of Urology, Ube, Japan, ³Nara Medical University, Dept. of Urology, Kashihara, Japan, ⁴Shimane University School of Medicine, Dept. of Urology, Izumo, Japan
- 803 **Risk stratification model for lymphovascular invasion, pathological T stage, lymph node involvement, and c-reactive protein predicts high-risk patients - who are candidate for adjuvant chemotherapy in upper urinary tract urothelial cancer**
By: Nagao K.¹, Matsuyama H.¹, Fujimoto K.², Azuma H.³, Shiina H.⁴, Tatsumi Y.², Sakano S.¹, Inamoto T.³, Yasumoto H.⁴
Institutes:¹Graduate School of Medicine, Yamaguchi University, Dept. of Urology, Ube, Japan, ²Nara Medical University, Dept. of Urology, Kashihara, Japan, ³Osaka Medical College, Dept. of Urology, Takatsuki, Japan, ⁴Shimane University Faculty of Medicine, Dept. of Urology, Izumo, Japan
- 804 **Promising role of preoperative neutrophil-to-lymphocyte ratio in patients treated with radical nephroureterectomy**
By: Vartolomei M.D.¹, Mathieu R.², Rouprêt M.³, Lucca I.⁴, Mbeutcha A.², Seitz C.², Karakiewicz P.⁵, Fajkovic H.², Rink M.⁶, Briganti A.⁷, Xylinas E.⁸, Shariat S.²
Institutes:¹Medical University Vienna and University of Medicine and Pharmacy, Dept. of Cell and Molecular Biology, Targu Mures, Romania, ²Medical University and General Hospital, Dept. of Urology, Vienna, Austria, ³Faculté De Médecine Pierre Et Marie Curie, University Paris 6, Dept. of Urology, Paris, France, ⁴Centre Hospitalier Universitaire Vaudois, Dept. of Urology, Lausanne, Switzerland, ⁵University of Montreal Health Centre, Dept. of Cancer Prognostics and Health Outcomes, Montreal, Canada, ⁶University Medical Center Hamburg-Eppendorf, Dept. of Urology, Hamburg, Germany, ⁷Vita Salute San Raffaele University, Dept. of Urology, Milan, Italy, ⁸Cochin Hospital, Assistance Publique-Hôpitaux De Paris, Paris Descartes University, Dept. of Urology, Paris, France
- 805 **International multicentre validation of prognostic micrnas in upper tract urothelial carcinoma**
By: Izquierdo Reyes L.¹, Montalbo R.¹, Ramirez-Backhaus M.², Solsona E.², Rubio J.², Van Der Heiden T.³, Schaafsma H.³, Lopez-Beltran A.⁴, Blanca A.⁴, Mengual L.¹, Alcaraz A.¹
Institutes:¹Hospital Clínic de Barcelona, Dept. of Urology, Barcelona, Spain, ²Fundacion IVO, Dept. of Urology, Valencia, Spain, ³Radbou University Centre, Dept. of Urology, Nijmegen, The Netherlands, ⁴Hospital Reina Sofia, Dept. of Urology, Cordoba, Spain

- 806 **Chronological changes of clinical outcome after radical nephroureterectomy in patients with localized upper urinary tract carcinoma treated in the last two decades: Are we succeeding?**
By: [Makito M.](#)¹, Tatsumi Y.¹, Fujimoto K.¹, Nagao K.², Sakano S.², Matsuyama H.², Inamoto T.³, Azuma H.³, Yasumoto H.⁴, Shiina H.⁴
Institutes:¹Nara Medical University, Dept. of Urology, Nara, Japan, ²Graduate School of Medicine, Yamaguchi University, Dept. of Urology, Yamaguchi, Japan, ³Osaka Medical College, Dept. of Urology, Osaka, Japan, ⁴Shimane University School of Medicine, Dept. of Urology, Shimane, Japan
- 807 **Long-term results of flexible ureteroscopy and laser photoablation for the treatment of patients with upper tract urothelial carcinoma: In whom an endourological management may not be enough to control the disease?**
By: [Villa L.](#)¹, Cloutier J.², Salonia A.³, Montorsi F.³, Traxer O.²
Institutes:¹Tenon Hospital, Pierre and Marie Curie University, Paris, France ²Division of Experimental Oncology, Dept. of Urology, Milan, Italy, ²Tenon Hospital, Pierre and Marie Curie University, Paris, France, Dept. of Urology, Paris, France, ³1 Division of Experimental Oncology/Unit of Urology; URI; IRCCS Ospedale San Raffaele 2 Università, Dept. of Urology, Milan, Italy
- 808 **Prognostic value of the pT3 subclassification for upper tract urothelial carcinomas of the renal pelvicalyceal system**
By: [Seisen T.](#)¹, Compérat E.², Colin P.³, Rioux-Leclercq N.⁴, Peyronnet B.⁵, Bensalah K.⁵, Pfister C.⁶, Gobet F.⁷, De La Taille A.⁸, Allory Y.⁹, Xylinas E.¹⁰, Sibony M.¹¹, Cussenot O.¹², Rouprêt M.¹³
Institutes:¹Hôpitaux universitaires La Pitié-Salpêtrière, Dept. of Urology, Paris, France, ²Hôpitaux universitaires La Pitié-Salpêtrière, Dept. of Pathology, Paris, France, ³Hôpital Privé De La Louvière, Dept. of Urology, Lille, France, ⁴Hôpital Universitaire De Rennes, Dept. of Pathology, Rennes, France, ⁵Hôpital Universitaire De Rennes, Dept. of Urology, Rennes, France, ⁶Hôpital Universitaire De Rouen, Dept. of Urology, Rouen, France, ⁷Hôpital Universitaire De Rouen, Dept. of Pathology, Rouen, France, ⁸Hôpital Universitaire Henri Mondor, Dept. of Urology, Créteil, France, ⁹Hôpital Universitaire Henri Mondor, Dept. of Pathology, Créteil, France, ¹⁰Hôpital Universitaire Cochin, Dept. of Urology, Paris, France, ¹¹Hôpital Universitaire Cochin, Dept. of Pathology, Paris, France, ¹²Hôpital Universitaire Tenon, Dept. of Urology, Paris, France, ¹³Hôpital Universitaire Pitié Salpêtrière, Dept. of Urology, Paris, France
- 809 **Prognostic significance of sarcopenia in upper tract urothelial carcinoma patients who underwent radical nephroureterectomy**
By: Fukushima H., Nakanishi Y., Kataoka M., Tobisu K., [Koga E.](#)
Institutes:Tokyo Metropolitan Cancer and Infectious Diseases Center Komagome Hospital, Dept. of Urology, Tokyo, Japan
- 810 **Neutrophil-to-lymphocyte ratio may predict recurrence in urothelial carcinoma of the urinary bladder: A prospective trial**
By: [Bahouth Z.](#)¹, Getzler I.¹, Mano R.², Baniel J.², Nativ O.¹, Rubinstein J.³, Halachmi S.¹
Institutes:¹Bnai-Zion Medical Center, Dept. of Urology, Haifa, Israel, ²Rabin Medical Center, Dept. of Urology, Petach-Tekva, Israel, ³Technion - Institute of Technology, Dept. of Mathematics, Haifa, Israel
- *811 **The utility of diffusion-weighted MRI as an imaging biomarker of upper urinary tract cancer: A preoperative prognostic indicator reflecting histological grade**
By: [Yoshida S.](#)¹, Uchida Y.¹, Kobayashi S.¹, Koga F.¹, Tanaka H.², Yokoyama M.¹, Ishioka J.¹, Matsuoka Y.¹, Saito K.¹, Fujii Y.¹, Kihara K.¹
Institutes:¹Tokyo Medical and Dental University Graduate School, Dept. of Urology, Tokyo, Japan, ²Ochanomizu Surugadai Clinic, Dept. of Radiology, Tokyo, Japan
- *813 **Impact of an adjuvant chemotherapeutic regimen on the clinical outcome in high-risk patients with upper tract urothelial carcinoma**
By: [Shirotake S.](#)¹, Kikuchi E.², Tanaka N.², Matsumoto K.², Miyazaki Y.², Kobayashi H.², Ide H.², Obata J.², Hoshino K.², Kosaka T.², Kanao K.², Miyajima A.², Nakagawa K.², Oyama M.¹, Oya M.²
Institutes:¹Saitama International Medical Center, Dept. of Urology, Hidaka City, Saitama, Japan, ²

Keio University School of Medicine, Dept. of Urology, Shinjuku, Tokyo, Japan